

## Mounting of Rockfon Acoustic Plates


For mounting Rockfon Acoustic plates in size:

600 x 600 x 20 mm  
600 x 600 x 40 mm  
600 x 1200 x 20 mm  
600 x 1200 x 40 mm

Turbo Tack 291 & Construction Extra 292 is recommended.

Before mounting it is important to make sure that the ceiling is clean and dry, free of grease, dust and loose particles. It is also important to make sure that the ceiling is even/flat, ie max. variation of +/- 2 mm on a 2 meter distance, and free of burrs and ridges. The plates should be clean and whole.

The adhesive is applied as strings on the backside of the plate. The strings of adhesive should be approx. 5 mm in diameter, and should be placed with approx. 10 cm. This means that each cartridge has a yield of mounting for 4 plates of the size 600 x 600 mm or 2 plates of the size 600 x 1200 mm.



After applying the adhesive, the plates are placed closet to their final location and carefully pressed into place. After that the plates stay in place while the adhesive cures over the next 24-48 hours.

It is important that the boards that are to be put up are acclimatized to room temperature.

**Be aware:** Be careful not to get adhesive on the front of the plates, as this cannot be removed/cleaned again with a satisfactory result.

When sealing Rockfon plates with certain sealants, a discoloring of the plate has been observed. The discoloration does not appear until after several months. This phenomenon has been observed with Danaseal Interior Hybrid 521.

The information and data contained is based on extensive laboratory testing and our practical experiences and are meant for helping the user to find best possible working methods. As the working conditions at the user are beyond our control, we make no warranties concerning the results, achieved by the products. The information in this "How To Do" information sheet are typical values, intended as a guideline, they should not be regarded as product specifications. Please also refer to our general sales conditions and terms of delivery.