

SAFETY DATA SHEET

Tapetlim 209

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name Tapetlim 209 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Adhesive for mounting ordinary wall-paper Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address Dana Lim A/S Københavnsvej 220 DK-4600 Køge Denmark Tel: +45 56 64 00 70 Contact person Product Safety Department E-mail info@danalim.dk Revision 6/16/2023 SDS Version 1.0 1.4. Emergency telephone number Contact the poison hotline: +45 82 12 12 12 (24 hour service) See section 4 "First aid measures". SECTION 2: Hazards identification Classified according to Regulation (EC) No. 1272/2008 (CLP). 2.1. Classification of the substance or mixture Not classified according to Regulation (EC) No. 1272/2008 (CLP). 2.2. Label elements Hazard pictogram(s) Not applicable. Signal word Not applicable. Hazard statement(s) Not applicable. Precautionary statement(s) General Prevention -Response Storage Disposal



Hazardous substances None known.

Additional labelling

EUH208, Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. EUH210, Safety data sheet available on request.

Active substance(s):

bronopol (0.0428 g/100g)

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (0.0014 g/100g) 2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
bronopol	CAS No.: 52-51-7 EC No.: 200-143-0 REACH: 01-2119980938-15-XXXX Index No.: 603-085-00-8	<0.05%	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
1,2-benzisothiazol-3(2H)-one	CAS No.: 2634-33-5 EC No.: 220-120-9 REACH: 01-2120761540-60-XXXX Index No.: 613-088-00-6	<0.01%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 (SCL: 0.05 %) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1)	
Reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	CAS No.: 55965-84-9 EC No.: 911-418-6 REACH: 01-2120764691-48-XXXX Index No.:	<0.0015%	EUH071 Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1C, H314 (SCL: 0.60 %) Skin Irrit. 2, H315 (SCL: 0.06 %) Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.



Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

None known.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice. Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

> 0°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit. DNEL

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	20 µg/m³
Long term – Local effects - Workers	Inhalation	20 µg/m³
Short term – Local effects - General population	Inhalation	40 µg/m³
Short term – Local effects - Workers	Inhalation	40 µg/m³
Long term – Systemic effects - General population	Oral	90 µg/kgbw/day
Short term – Systemic effects - General population	Oral	110 µg/kgbw/day

PNEC

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		3.39 µg/L
Freshwater sediment		27 µg/kg
Intermittent release (freshwater)		3.39 µg/L
Intermittent release (marine water)		3.39 µg/L
Marine water		3.39 µg/L
Marine water sediment		27 µg/kg
Sewage treatment plant		230 µg/L
Soil		10 µg/kg

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment Generally

Generally



In the event the work process is within scope of the Danish statutory order on work with code numbered products (Work Inspectorate Order no. 302/1993), then personal protection equipment shall be selected as set out herein. If applicable, please refer to the code number of this product in section 15.

•	ed protective equipment.			
Respiratory Equipme Type	Class	Colour	Standards	
No specific	Class	coloui	Standards	
requirements				
Skin protection				
Recommended	Type/Category	Star	dards	
No specific requirements.	-	-		
Hand protection				
Material	Glove thickness (mm)	Breakthrough tin (min.)	ne Standards	
Nitrile	0.1	> 480	EN374-2, EN388	
Eye protection				
Туре	Standards			
No specific requirements	-			
SECTION 9: Physical ar 9.1. Information on bas	nd chemical properties	roperties		
Physical state Liquid Colour White Odour / Odour thres Testing not releva pH 6 Density (g/cm ³)	hold ant or not possible due to t	the nature of the pro	duct.	
1.03 Kinematic viscosity 24000-33000 mPa Particle characteristi Does not apply to	CS			
_	ant or not possible due to t ge (waxes and pastes) (°C)	the nature of the pro	duct.	
Relative vapour dens Testing not releva Decomposition temp Testing not releva Data on fire and explos Flash point (°C)	ant or not possible due to to berature (°C) ant or not possible due to to ion hazards	the nature of the pro	duct. duct.	
	ant or not possible due to t	the nature of the pro	duct.	



Testing not relevant or not possible due to the nature of the product. Auto-ignition temperature (°C) Testing not relevant or not possible due to the nature of the product. Lower and upper explosion limit (% v/v) Testing not relevant or not possible due to the nature of the product. Solubility Solubility in water Completely soluble n-octanol/water coefficient Testing not relevant or not possible due to the nature of the product. Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product. 9.2. Other information Other physical and chemical parameters No data available. Oxidizing properties Testing not relevant or not possible due to the nature of the product. SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

- None known.
- 10.4. Conditions to avoid None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Product/substance Species: Route of exposure: Test: Result:	bronopol Rat Inhalation LC50 800 mg/L
Product/substance Species:	bronopol
Route of exposure: Test:	Dermal
Result:	1600 mg/kg ·
Product/substance Species:	bronopol Rat
Route of exposure: Test:	Oral
Result:	254 mg/kg ·
Product/substance Species: Route of exposure: Test: Result:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Rat Oral LD50 49,6-75 mg/kg ·



Product/substance Species: Route of exposure: Test: Result:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Rat Inhalation LC50 0,33 mg/l, 4 h aerosol ·
Product/substance Species: Route of exposure: Test: Result:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Rabbit Dermal LD50 141 mg/kg ·
Skin corrosion/irritatior	
	ata, the classification criteria are not met.
Serious eye damage/irr	
	ata, the classification criteria are not met.
Respiratory sensitisatio Based on available d	ata, the classification criteria are not met.
Skin sensitisation	
Product/substance	bronopol
Species: Result:	Guinea pig No adverse effect observed (not sensitising)
Product/substance Test method: Species:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) OECD 406 Guinea pig
Result:	Adverse effect observed (sensitising)
Germ cell mutagenicity Based on available d	ata, the classification criteria are not met.
Carcinogenicity Based on available d	ata, the classification criteria are not met.
Reproductive toxicity Based on available d	ata, the classification criteria are not met.
	ata, the classification criteria are not met.
	re ata, the classification criteria are not met.
Aspiration hazard Based on available d	ata, the classification criteria are not met.
11.2. Information on ot	
Long term effects	
None known.	
Endocrine disrupting pr Not applicable.	roperties
Other information None known.	
SECTION 12: Ecologica	linformation
12.1. Toxicity	
Product/substance Species: Duration:	bronopol Daphnia 21 days



Product/substance Species: Duration: Test: Result:	bronopol Daphnia 48 hours EC50 1,4 mg/l ·				
Product/substance Species: Duration: Test: Result:	bronopol Algae 72 hours EC50 0,4 mg/l ·				
Product/substance Species: Duration: Test: Result:	Reaction mass of: 5-chloro-2 Algae 72 hours EC50 0,027 mg/l ·	-methyl-4-isothiazolin-3-one and 2-m	nethyl-2H-iso	thiazol-3-	one (3:1)
12.2. Persistence and degr Product/substance Biodegradable: Test method: Result:	adability bronopol Yes OECD 301 B 51-57%, Inherent, 28 days				
Product/substance Biodegradable: Test method: Result:	Reaction mass of: 5-chloro-2 Yes OECD 301 D >60%	-methyl-4-isothiazolin-3-one and 2-m	iethyl-2H-iso	othiazol-3-	one (3:1)
12.3. Bioaccumulative pote Product/substance Test method: Potential bioaccumulation: LogPow: BCF: Other information:	Reaction mass of: 5-chloro-2-	-methyl-4-isothiazolin-3-one and 2-m	ethyl-2H-iso	othiazol-3-	one (3:1)
 12.4. Mobility in soil No data available. 12.5. Results of PBT and vF This mixture/product do vPvB. 12.6. Endocrine disrupting Not applicable. 12.7. Other adverse effects None known. 	pes not contain any substar properties	nces considered to meet the crite	ria classifyi	ng them	as PBT and/o
SECTION 13: Disposal con	siderations				
Commission Regulation EWC code 08 04 10 Waste ac Contaminated packing	by regulations on dangerou (EU) No 1357/2014 of 18 D dhesives and sealants other th		product.		
SECTION 14: Transport inf	formation				

-

-

-

ADR

-

-

-



	14.1 UN / I	14.2 D UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
IMDG	-	-	-	-	-	-
ΙΑΤΑ	-	-	-	-	-	-
Addition Not of 14.6. Sp Not of 14.7. M	nmenta nal infor dangero pecial pr applicab	ous goods according to ADR, IATA ecautions for user ile. transport in bulk according to IM				
SECTIO	ON 15: R	egulatory information				
Rest N Dem SEVE N Addi C Sour R a C Sour R a C R R R R	rictions lo specia ands for lo specif SO - Cat lot appli tional in ode nun ces egulatio vailable ommiss rbejdstil egulatio lassificat egulatio egistrat	r specific education ic requirements. egories / dangerous substances	ean Parliament and of the Coun al products. 4 of 18 December 2014 on waste 5 13. maj 1993 om fastsættelse a bean Parliament and of the Coun ubstances and mixtures (CLP). bean Parliament and of the Coun	icil of 22 May 2012 e. if kodenumre mee ncil of 16 Decemb ncil of 18 Decemb	conceri d senere er 2008	ændringer. on
SECTIC	ON 16: O	ther information				
EUH H307 H302 H310 H312 H312 H312 H315 H316 H316 H316 H335 H400 H410 Abbrevi ADN ADR	071, Cor 1, Toxic i 2, Harmf 2, Fatal i 2, Harmf 4, Cause 5, Cause 5, Cause 7, May ca 3, Cause 0, Fatal i 5, May ca 0, Very to 1, Very to iations a = Europ = The Eu = Acute	nrases as mentioned in section 3 rosive to the respiratory tract. if swallowed. ful if swallowed. n contact with skin. ful in contact with skin. s severe skin burns and eye dam s skin irritation. ause an allergic skin reaction. s serious eye damage. f inhaled. ause respiratory irritation. oxic to aquatic life. oxic to aquatic life with long lastin and acronyms bean Provisions concerning the Ir uropean Agreement concerning to Toxicity Estimate acentration Factor	ng effects. hternational Carriage of Dangero			rway

- CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity)



CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information Not applicable. The safety data sheet is validated by **Product Safety Department**

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en