

SAFETY DATA SHEET

## Letspartel Grov 624

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name Letspartel Grov 624 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Filler Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address Dana Lim A/S Københavnsvej 220 DK-4600 Køge Denmark Tel: +45 56 64 00 70 Contact person Product Safety Department E-mail info@danalim.dk Revision 6/15/2023 SDS Version 1.0 1.4. Emergency telephone number Contact the poison hotline: +45 82 12 12 12 (24 hour service) See section 4 "First aid measures". SECTION 2: Hazards identification Classified according to Regulation (EC) No. 1272/2008 (CLP). 2.1. Classification of the substance or mixture Not classified according to Regulation (EC) No. 1272/2008 (CLP). 2.2. Label elements Hazard pictogram(s) Not applicable. Signal word Not applicable. Hazard statement(s) Not applicable. Precautionary statement(s) General Prevention -Response -Storage Disposal



#### Hazardous substances None known.

### Additional labelling

EUH208, Contains 1,2-benzisothiazol-3(2H)-one, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210, Safety data sheet available on request.

### Active substance(s):

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (0.00147 g/100g) 2.3. Other hazards

### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
1,2-benzisothiazol-3(2H)-one	CAS No.: 2634-33-5 EC No.: 220-120-9 REACH: 01-2120761540-60-XXXX Index No.: 613-088-00-6	<0.05%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 (SCL: 0.05 %) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1)	
Reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	CAS No.: 55965-84-9 EC No.: 911-418-6 REACH: 01-2120764691-48-XXXX Index No.:	<0.0015%	EUH071 Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1C, H314 (SCL: 0.60 %) Skin Irrit. 2, H315 (SCL: 0.06 %) Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

### Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.



### Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

### Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

### None known.

### Information to medics

Bring this safety data sheet or the label from this product.

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

#### Some metal oxides 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice. Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures No specific requirements.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature



## > 0°C

### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Quartz (SiO2)

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 0,1(respirabel) / 0,3(total) Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 0,2(respirabel) / 0,6(total) Annotations: E = Substance has an EC limit.

K = Dusts that contain the substance on a respirable form are considered to be carcinogenic.

Statutory order 202 on exposure limits for substances and mixtures (21/02/2023)

Quartz (SiO2) is included in the national list of substances suspected of causing cancer

BEK nr 1795 af 18/12/2015 om foranstaltninger til forebyggelse af kræftrisikoen ved arbejde med stoffer og materialer.

### DNEL

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

, ,	,	
Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	20 µg/m³
Long term – Local effects - Workers	Inhalation	20 µg/m³
Short term – Local effects - General population	Inhalation	40 µg/m³
Short term – Local effects - Workers	Inhalation	40 µg/m³
Long term – Systemic effects - General population	Oral	90 µg/kgbw/day
Short term – Systemic effects - General population	Oral	110 µg/kgbw/day

### PNEC

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

		,
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		3.39 µg/L
Freshwater sediment		27 µg/kg
Intermittent release (freshwater)		3.39 µg/L
Intermittent release (marine water)		3.39 µg/L
Marine water		3.39 µg/L
Marine water sediment		27 µg/kg
Sewage treatment plant		230 µg/L
Soil		10 µg/kg

### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

### **Exposure scenarios**

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a



local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

#### Generally

In the event the work process is within scope of the Danish statutory order on work with code numbered products (Work Inspectorate Order no. 302/1993), then personal protection equipment shall be selected as set out herein. If applicable, please refer to the code number of this product in section 15. Use only CE marked protective equipment.

#### **Respiratory Equipment**

Avoid breathing abrasive dust. When sanding, the dust can be removed at the source with a minimum class M vacuum cleaner connected to the sanding mashine.

Work situation	Туре	Class	Colour	Standards	
Upon during sandin of treated areas (No special precautions when handling the product)	)	Ρ3	White	EN149	
Skin protection No specific require Hand protection	ements.				

Ma	terial	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitr	ile	0.1	> 480	EN374-2, EN388	

### Eye protection

Туре	Standards	
No specific requirements	-	

### SECTION 9: Physical and chemical properties

```
9.1. Information on basic physical and chemical properties
  Physical state
      Paste
  Colour
      Gray
  Odour / Odour threshold
      Mild
  pН
      8-9
  Density (g/cm<sup>3</sup>)
      0.89
  Kinematic viscosity
     Testing not relevant or not possible due to the nature of the product.
  Particle characteristics
     Testing not relevant or not possible due to the nature of the product.
Phase changes
  Melting point/Freezing point (°C)
      Testing not relevant or not possible due to the nature of the product.
  Boiling point (°C)
      100
  Vapour pressure
```



Testing not relevant or not possible due to the nature of the product.
Relative vapour density Testing not relevant or not possible due to the nature of the product.
Decomposition temperature (°C)
Testing not relevant or not possible due to the nature of the product.
Data on fire and explosion hazards
Flash point (°C) Testing not relevant or not possible due to the nature of the product.
Flammability (°C)
Testing not relevant or not possible due to the nature of the product.
Auto-ignition temperature (°C)
Testing not relevant or not possible due to the nature of the product.
Lower and upper explosion limit (% v/v) Testing not relevant or not possible due to the nature of the product.
Solubility
Solubility in water
Completely soluble
n-octanol/water coefficient Testing not relevant or not possible due to the nature of the product.
Solubility in fat (q/L)
Testing not relevant or not possible due to the nature of the product.
9.2. Other information
Other physical and chemical parameters No data available.
Oxidizing properties
Testing not relevant or not possible due to the nature of the product.
<u> </u>
SECTION 10: Stability and reactivity
10.1. Reactivity No data available.
10.2. Chemical stability
The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazardous reactions None known.
10.4. Conditions to avoid
None known.
10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.
10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1.
The product is not degraded when used as specified in section 1.

### SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	
Product/substance Species:	1,2-benzisothiazol-3(2H)-one Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/L
Product/substance	1,2-benzisothiazol-3(2H)-one
Species:	Rat
Route of exposure:	Oral
Test:	LD lo
Result:	597 mg/L
Product/substance	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Species:	Rat



5 5	
Route of exposure:	Oral
Test:	LD50
Result:	49,6-75 mg/kg ·
Product/substance Species:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	0,33 mg/l, 4 h aerosol ·
Product/substance Species: Route of exposure:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Rabbit Dermal
Test: Result:	LD50 141 mg/kg ·
Skin corrosion/irritation	
Product/substance	1,2-benzisothiazol-3(2H)-one
Species:	Rabbit No data available.
Duration: Result:	Adverse effect observed (Moderately irritating)
Serious eye damage/irrit	ation
	ita, the classification criteria are not met.
Respiratory sensitisation	i ita, the classification criteria are not met.
Skin sensitisation	
Product/substance	1,2-benzisothiazol-3(2H)-one
Species: Result:	Adverse effect observed (sensitising)
Product/substance Test method:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) OECD 406
Species:	Guinea pig
Result:	Adverse effect observed (sensitising)
Germ cell mutagenicity Based on available da	ita, the classification criteria are not met.
Carcinogenicity Based on available da	ita, the classification criteria are not met.
Reproductive toxicity	
TOT-single exposure	ita, the classification criteria are not met.
Based on available da	ita, the classification criteria are not met.
TOT-repeated exposure Based on available da	e ita, the classification criteria are not met.
Aspiration hazard	ita, the classification criteria are not met.
1.2. Information on oth	
ong term effects	
None known. Endocrine disrupting pro	operties
Not applicable.	
Other information	n classified by IAPC as a group 1 carsing gon
Qualitz (SIO2) has bee	n classified by IARC as a group 1 carcinogen.
SECTION 12: Ecological	information
2.1. Toxicity	
Product/substance	1,2-benzisothiazol-3(2H)-one
Species:	Fish

1,2-benzisothiazol-3(2H)-one Fish 96 hours LC50



Result:	0,74 mg/L
Product/substance Species: Duration: Test:	1,2-benzisothiazol-3(2H)-one Daphnia 48 hours EC50
Result:	2,44 mg/L
Product/substance Species: Duration: Test: Result:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Algae 72 hours EC50 0,027 mg/l ·
12.2. Persistence and deg Product/substance Biodegradable: Test method: Result:	radability Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Yes OECD 301 D >60%
12.3. Bioaccumulative pot Product/substance Test method: Potential bioaccumulation LogPow: BCF: Other information:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
<ul> <li>12.4. Mobility in soil No data available.</li> <li>12.5. Results of PBT and v This mixture/product d vPvB.</li> <li>12.6. Endocrine disrupting Not applicable.</li> <li>12.7. Other adverse effect None known.</li> </ul>	loes not contain any substances considered to meet the criteria classifying them as PBT and/or g properties
SECTION 13: Disposal co	nsiderations
Commission Regulation EWC code 08 04 10 Waste a Contaminated packing	ethods by regulations on dangerous waste. n (EU) No 1357/2014 of 18 December 2014 on waste. adhesives and sealants other than those mentioned in 08 04 09 residues of the product must be disposed of similarly to the product.
SECTION 14: Transport ir	Iformation

	14.1 UN / IC	14.2 ) UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-
* Packing ** Enviro	g group onmental	hazards				

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.



14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

No special.

Demands for specific education No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

**Biocidal Products Regulations** 

Product type: PT6 - Preservatives for products during storage

Restrictions on use

Directions for use and dose rate

Additional information

### Additional information

Code number (1993): 00-1.

#### Sources

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Arbejdstilsynets bekendtgørelse nr. 301 af 13. maj 1993 om fastsættelse af kodenumre med senere ændringer.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

No

SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

- H301, Toxic if swallowed.
- H302, Harmful if swallowed.
- H310, Fatal in contact with skin.
- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.
- H317, May cause an allergic skin reaction.
- H318, Causes serious eye damage.
- H330, Fatal if inhaled.
- H400, Very toxic to aquatic life.
- H410, Very toxic to aquatic life with long lasting effects.

### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- CAS = Chemical Abstracts Service
- CE = Conformité Européenne (European conformity)
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances



ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information Not applicable. The safety data sheet is validated by **Product Safety Department** Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en