

SAFETY DATA SHEET

Fire Guard A 565

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name Fire Guard A 565 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Sealant Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address Dana Lim A/S Københavnsvej 220 DK-4600 Køge Denmark Tel: +45 56 64 00 70 Contact person Product Safety Department E-mail info@danalim.dk Revision 11/1/2023 **SDS Version** 1.0 1.4. Emergency telephone number Contact the poison hotline: +45 82 12 12 12 (24 hour service) See section 4 "First aid measures". SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Not classified according to Regulation (EC) No. 1272/2008 (CLP). 2.2. Label elements Hazard pictogram(s) Not applicable. Signal word Not applicable. Hazard statement(s) Not applicable. Precautionary statement(s) General Prevention Response Storage _ Disposal



Hazardous substances None known. Additional labelling EUH205, Contains epoxy constituents. May produce an allergic reaction.

EUH208, Contains 1,2-benzisothiazol-3(2H)-one, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. EUH210, Safety data sheet available on request.

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Not applicable. This product is a mixture.

Product/substance	Identifiers	% w/w	Classification	Note
bronopol	CAS No.: 52-51-7 EC No.: 200-143-0 REACH: 01-2119980938-15-XXXX Index No.: 603-085-00-8	<0.05%	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
1,2-benzisothiazol-3(2H)-one	CAS No.: 2634-33-5 EC No.: 220-120-9 REACH: 01-2120761540-60-XXXX Index No.: 613-088-00-6	<0.05%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 (SCL: 0.05 %) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1)	
Reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	CAS No.: 55965-84-9 EC No.: 911-418-6 REACH: 01-2120764691-48-XXXX Index No.:	<0.0015%	EUH071 Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1C, H314 (SCL: 0.60 %) Skin Irrit. 2, H315 (SCL: 0.06 %) Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

Skin contact



IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.

Eye contact

IF IN EYES: If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a doctor.

Ingestion

IF SWALLOWED: If symptoms occur call a POISON CENTRE or a doctor.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice. Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

Dry, cool and well ventilated

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.



7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	20 µg/m³
Long term – Local effects - Workers	Inhalation	20 µg/m³
Short term – Local effects - General population	Inhalation	40 µg/m³
Short term – Local effects - Workers	Inhalation	40 µg/m³
Long term – Systemic effects - General population	Oral	90 µg/kgbw/day
Short term – Systemic effects - General population	Oral	110 µg/kgbw/day

PNEC

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		3.39 µg/L
Freshwater sediment		27 µg/kg
Intermittent release (freshwater)		3.39 µg/L
Intermittent release (marine water)		3.39 µg/L
Marine water		3.39 µg/L
Marine water sediment		27 µg/kg
Sewage treatment plant		230 µg/L
Soil		10 µg/kg

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

Wash hands after use.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

In the event the work process is within scope of the Danish statutory order on work with code numbered products (Work Inspectorate Order no. 302/1993), then personal protection equipment shall be selected as set out herein. If applicable, please refer to the code number of this product in section 15. Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

No specific requirements.

Hand protection



Work situation	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
	Nitrile	0.1	> 480	EN374-2, EN388	
When applying the sealant with a caulkin gun and when finishin with a joint nail, work can be carried out without gloves if skin contact is avoided.	ng				
Eye protection No specific requirer	nents.				
SECTION 9: Physical and	chemical propert	ties			
9.1. Information on basic Physical state Paste Colour White Odour / Odour threshc		mical properties			
Faint pH 6,5-9,0	JIU				
Density (g/cm³) 1,56-1,66 Kinematic viscosity					
Particle characteristics	-	due to the nature of due to the nature of	-		
Phase changes Melting point/Freezing Testing not relevant		due to the nature of	the product.		
Boiling point (°C) 100	·				
Vapour pressure Testing not relevant Relative vapour density		due to the nature of	the product.		
Decomposition temper	ature (°C)	due to the nature of			
Data on fire and explosior		due to the nature of	the product.		
	t or not possible	due to the nature of	the product.		
Flammability (°C) Testing not relevant Auto-ignition temperat		due to the nature of	the product.		
	t or not possible	due to the nature of	the product.		
		due to the nature of	the product.		
Solubility in water Completely soluble					
n-octanol/water coeffic		due to the nature of	the product.		
Solubility in fat (g/L)	t or not possible	due to the nature of	the product		



9.2. Other information

Other physical and chemical parameters No data available. Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

- 10.3. Possibility of hazardous reactions
 - None known.
- 10.4. Conditions to avoid
 - None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Product/substance Species: Route of exposure: Test: Result:	bronopol Rat Inhalation LC50 800 mg/L
Product/substance	bronopol
Route of exposure:	Dermal
Result:	1600 mg/kg ·
Product/substance	bronopol
Species:	Rat
Route of exposure:	Oral
Result:	254 mg/kg ·
Product/substance	1,2-benzisothiazol-3(2H)-one
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/L
Product/substance	1,2-benzisothiazol-3(2H)-one
Species:	Rat
Route of exposure:	Oral
Test:	LD lo
Result:	597 mg/L
Product/substance	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	49,6-75 mg/kg ·
Product/substance	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50



Result:	0,33 mg/l, 4 h aerosol ·			
Product/substance Species: Route of exposure: Test:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) Rabbit Dermal LD50			
Result: 141 mg/kg·				
Skin corrosion/irritation				
Product/substance Species:	1,2-benzisothiazol-3(2H)-one Rabbit			
Duration:	No data available.			
Result:	Adverse effect observed (Moderately irritating)			
Serious eye damage/irrit Based on available da Respiratory sensitisation	ta, the classification criteria are not met.			
Based on available da	ta, the classification criteria are not met.			
Skin sensitisation Product/substance	bronopol			
Species: Result:	Guinea pig No adverse effect observed (not sensitising)			
Result.	No adverse effect observed (not sensitising)			
Product/substance Result:	1,2-benzisothiazol-3(2H)-one Adverse effect observed (sensitising)			
Product/substance Test method:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) OECD 406			
Species: Result:	Guinea pig Adverse effect observed (sensitising)			
Germ cell mutagenicity Based on available da	ta, the classification criteria are not met.			
Carcinogenicity	ta, the classification criteria are not met.			
Reproductive toxicity Based on available da	ta, the classification criteria are not met.			
STOT-single exposure Based on available da	ta, the classification criteria are not met.			
STOT-repeated exposure				
Aspiration hazard	ta, the classification criteria are not met.			
11.2. Information on oth				
Long term effects None known.				
Endocrine disrupting pro	operties does not contain any substances considered to have hormone-disrupting properties in relation			
Other information None known.				
SECTION 12: Ecological	information			
12.1. Toxicity				
Product/substance	bronopol			
Species: Duration:	Daphnia 21 days			
Test: Result:	NOEC 0,06 mg/l ·			
Product/substance Species:	bronopol Fish			



Duration:	96 hours
Test:	LC50
Result:	41,2 mg/l ·
Product/substance	bronopol
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	1,4 mg/l ·
Product/substance	bronopol
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	0,4 mg/l ·
Product/substance	1,2-benzisothiazol-3(2H)-one
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	0,74 mg/L
Product/substance	1,2-benzisothiazol-3(2H)-one
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	2,44 mg/L
Product/substance	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	0,027 mg/l ·
2.2. Persistence and dec	gradability
Product/substance	bronopol
Biodegradable:	Yes
Test method:	OECD 301 B
Result:	51-57%, Inherent, 28 days
Product/substance	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Biodegradable:	Yes
Test method:	OECD 301 D
Result:	>60%
2.3. Bioaccumulative por Product/substance Potential bioaccumulatio LogPow: BCF:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
vPvB. 2.6. Endocrine disruptin	does not contain any substances considered to meet the criteria classifying them as PBT and/or g properties
Inis mixture/product of to the environment.2.7. Other adverse effect None known.	loes not contain any substances considered to have endocrine-disrupting properties in relation ts
SECTION 13: Disposal co	nsiderations



13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

08 04 10 Waste adhesives and sealants other than those mentioned in 08 04 09

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / I	14.2 D UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application No special.
Demands for specific education No specific requirements.
SEVESO - Categories / dangerous substances Not applicable.
Additional information Code number (1993): 00-1.
Sources Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products. Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste. Arbejdstilsynets bekendtgørelse nr. 301 af 13. maj 1993 om fastsættelse af kodenumre med senere ændringer.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

- H301, Toxic if swallowed.
- H302, Harmful if swallowed.
- H310, Fatal in contact with skin.
- H312, Harmful in contact with skin.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.



H317. May cause an allergic skin reaction. H318, Causes serious eve damage. H330, Fatal if inhaled. H335, May cause respiratory irritation. H400, Very toxic to aquatic life. H410, Very toxic to aquatic life with long lasting effects. Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate **BCF** = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information In accordance with Article 31 of REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required under Article 32 of REACH. The safety data sheet is validated by **Product Safety Department**

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en