

Declaration of Performance

Nr.: 13963/13279-0611-1-UK

1. Unique identification code of the product-type:
**Gypsum based filler for filling plasterboard joints type 3A - EN 13963:2005
 and filler for surfaces type C7/20/2 – EN 13279-1:2008**
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):
**Indoor Filler 611
 Batch identification – See product**
3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:
Gypsum based filler for indoor filling of plasterboard joints and surfaces
4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):
Dana Lim A/S, Koebenhavnsvej 220, 4600 Koege, Denmark
5. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):
Not relevant
6. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in CPR, Annex V:
System 3
7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:
**For EN 13279-1: Reaction to fire is determined by MPA Braunschweig (0761).
 Not relevant for EN13963 because content of organic material is below 1%**
8. European Technical Assessment (ETA):
Not relevant
9. Declared performance:

Essential Characteristics	Performance	Harmonized Technical Specification
Reaction to fire	A1	EN 13963:2005
Flexural strength	>320N	EN 13963:2005
Reaction to fire	A1	EN 13279-1:2008
Airbornesound insulation	NPD	EN 13279-1:2008
Thermal resistance	NPD	EN 13279-1:2008

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Koege, 08th of July 2013



Erik Andersen
 Erik Andersen
 Laboratory Manager