

Declaration of Performance

Nr.: 14680-0309-1-UK

1. Unique identification code of the product-type:
PVC-U Adhesive for non-pressure thermoplastic piping systems according EN 14680:2006

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):
PVC Pipe Adhesive 309
Item: 7907 (150 ml) & 7905 (1 liter)
Batch identification – See product

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:
PVC-U Adhesive for non-pressure thermoplastic piping systems. Intended use: In Installations / disposal / storage of water not intended for human consumption.

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):
Dana Lim A/S, Koebenhavnsvej 220, 4600 Koege, Denmark

5. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):
Not relevant

6. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in CPR, Annex V:
System 4

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:
Not relevant

8. European Technical Assessment (ETA):
Not relevant

9. Declared performance:


Essential Characteristics	Performance	Harmonized Technical Specification
Shear Strength:	At 1 hour: $\geq 0,25 \text{ N/mm}^2$ At 24 hour: $\geq 1,5 \text{ N/mm}^2$ At 480 hour: $\geq 3,0 \text{ N/mm}^2$	EN 14680:2006
Resistant to temperature cycling test	Pass	EN14680:2006

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:



Koege, 04th July 2013


 Erik Andersen
 Laboratory Manager