

Byggvarubedömningen's guidelines and information requirements for assessment of products, Version 2021-1.

These guidelines describe what information Byggvarubedömningen requires for assessment of articles and chemical products. Information about the article or chemical product can be provided in this document, alternatively refer to another documentation in which the corresponding information is given. For certain types of articles and chemical products additional information may be requested.

1. Product information

Product

Product name:	NBS Byggskum Extra 602			
Article No.:	7632			
Specify the type of number, e.g. RSK, E-number, EAN, GTIN or supplier's article number. This should also be stated on the application.				
Product description:	One-component, ready to use polyurethane gunfoam for			
Upon application, please attach a products data sheet, or similar.	various building applications, e.g. installation of window and door frames, sealing of joints and penetrations, thermal and acoustic insulating. Very low curing pressure and post expansion avoid deformation of building elements. Adheres well to most materials like wood, concrete, stone, plaster, metal, PVC and polystyrene.			
Type of product:	☑ Chemical product	☐ Article		
Date (year, month, day) of preparation/revision:	15.09.2022			

Supplier/Manufacturer

Supplier:	Dana Lim A/S	
Manufacturer, if other than the supplier: <i>Voluntary information</i>		
Contact person:	Ekta Singh-Quintana	
Address:	Københavnsvej 220, 4600 Køge, Denmark	
E-mail:	esq@danalim.se	
Phone number:	+46 730-709013	

Supporting documentation

Has a declaration of performance	☐ Yes	⊠ No
in line with the European		



Construction Products Regulation (EU) no 305/2011, been prepared for the product?		
If yes, attach the declaration of perf	ormance with the application.	
Is the article/product an electronic product and covered by the RoHS-directive (according to the version valid at the time of application)?	☐ Yes	⊠ No
If yes, attach an "EU Declaration of the product corresponds to the rectogether with the application.		
If the article/product is an electronic product that is covered by an exemption according to the RoHS-directive, specify which exemption and date (year, month, day) when the exemption expires if time-limited:	Exemptions according to RoHS: Date:	

2. Declaration of contents:

Please specify the full content of the article or the chemical product, *on delivery*, in Table 1, or alternatively attach other documentation that provides the corresponding information. For instructions, please refer to the "Annex 1. Declaration of content, Byggvarubedömningen's reporting requirements, 2021-1", which is found at the end of this document.

Table 1. Contents of included substances and material (declaration of content in accordance with the requirements).

Included substances and materials	EC-/ CAS- number (alternatively, alloy number)	Weight% (of the entire product)	When applicable, state for which subcomponent	Weight% (of substance in subcompone nt)	Comments (state any application of non- harmonized classifications)
Silane-terminated polyurethane prepolymer	-	50-75			crassifications
Isobutane	75-28-5	2,5-10			Flam. Gas 1A: H220; Press. Gas: H280
Propane	74-98-6	2,5-10			Flam. Gas 1A: H220; Press. Gas: H280



	ı	1			ı
Dimethyl ether	115-10-6	2,5-10			Flam. Gas 1A:
					H220; Press.
					Gas: H280
Polymer based on	2202685-90-1	2,5 - 5			Acute Tox. 4:
phosphorus	2202003 30 1	2,3 3			H302; Aquatic
					•
oxychloride,					Chronic 3:
diethylene glycol,					H412; Eye
isobutanol					Irrit. 2: H319;
					Skin Irrit. 2:
					H315
Modified polyether	_	1 – 2,5			_
siloxane		1 2,3			
Polysiloxane	67762-85-0	1–2,5			-
Ethyl acetate	141-78-6	0,1 - 1			Eye Irrit. 2:
					H319; Flam.
					Liq. 2: H225;
					STOT SE 3:
					H336
Solvent		<1			Acute Tox. 4:
					H302; Eye
					Dam. 1: H318;
					Skin Corr. 1C:
					H314
Residual and		-0.5			
		<0,5			All substances
impurities					considered as
					"Residues and
					impurities"
					have different
					classifications
					and do not
					exceed
					concentration
					limits. The
					latter is
					assessed as
					Recommende
					Recommende d based on
					Recommende
					Recommende d based on
					Recommende d based on
If any deviations from	m Byggvarubedör	nningens	Other comments:		Recommende d based on
If any deviations from			Other comments:		Recommende d based on
declaration requirer	ments exist, speci	fy these in	Other comments:		Recommende d based on
	ments exist, speci	fy these in	Other comments:		Recommende d based on
declaration requirer	ments exist, speci	fy these in	Other comments:		Recommende d based on
declaration requirer the comments in Ta	ments exist, speci ble 1, or alternati	fy these in vely here.		ПМо	Recommende d based on
declaration requirer the comments in Ta	nents exist, speci ble 1, or alternati position different	fy these in vely here.	Other comments:	□ No	Recommende d based on
declaration requirer the comments in Ta	ments exist, speci ble 1, or alternati position different ed (cured product	fy these in vely here. , for the		□ No	Recommende d based on
declaration requirer the comments in Ta	ments exist, speci ble 1, or alternati position different ed (cured product	fy these in vely here. , for the		□ No	Recommende d based on
declaration requirer the comments in Ta Is the chemical com product when applie compared to the co	ments exist, speci ble 1, or alternati position different ed (cured product	fy these in vely here. , for the		□ No	Recommende d based on
declaration requirer the comments in Ta	ments exist, speci ble 1, or alternati position different ed (cured produci ntent at delivery?	fy these in vely here. , for the t) (Only for	⊠ Yes	□ No	Recommende d based on



Table 2. Contents for the applied product (full content in accordance with the declarations requirements)

Included substances and materials					
	EC-/ CAS- number		Weight% (of the appl product)		Comments (state any application of non-harmonized classifications)
Silane terminated polyurethane foam	-		100		
If you do take a form Down to the difference of		Othora			
If any deviations from Byggvarubedömninge declaration requirements exist, specify these comments in Table 1, or alternatively here.		Other	comments:		
Does the product or any of its subcomponer contain substances with particularly hazardor properties (Substances of Very High Concern SVHC-substances), which are included in the Candidate List at a concentration ≥0.1 weigh	ous n,	es			NO
If yes, specify these substances in Table 1 tog	gether with	the res	t of the conte	ent of	f the product.
State the date (year, month, day) for control the Candidate List.	of Dat	e: 06.09	0.2022		
The concentration is calculated at componer always a product".	nt level est	ablished	on the princ	ciple '	once a product,
The Candidate List is available at: http://echa	a.europa.eı	ı/sv/can	<u>didate-list-ta</u>	<u>ble</u> .	
Nanomaterials					
Does the product contain any nanomaterial that has been purposefully added to achieve specific function?	□ Ye	<u>.</u>		⊠ N	lo
If yes, specify the material.	Mate	rial:	1		
If <i>yes</i> , specify the weight% of the entire product.	Weig	Weight%:			



Per- and polyflu	oroalkyl substa	ances (PFAS	S)			
Does the product contain any per- and polyfluoroalkyl substances (PFAS) that has been purposefully added to achieve a specific function?			Yes		⊠ No	
If yes, specify the material.			Material:		-1	
If <i>yes,</i> specify the v	weight% of the ent	tire	Weight%:			
3. Recycled raw	material					
Does the product	contain recycled i	material?	☐ Yes		⊠ No	
If <i>yes</i> , specify in Ta	able 3.		l			
If the product cortotal weight of the	e product, in <i>Tak</i> material.	ole 3, Recycle	ed materia	ls.		
Material	Percentage (%) Recycled material of the total product's weight	Percentage (%) of the recycled material that has not reached the consumer level, such as production waste, etc. (pre-consumer)		of the recycled material that has		Comments
If wood raw ma	aterial is include	ed				
· ·	oe ordered with su wood raw materi		☐ Yes		⊠ No	
that is certified, w (e.g. FSC or PEFC) for the certificatio		en used se number				
Attach the certification.	ate together with	the				



If no: Has wood raw material from documented sustainable forestry been used in the production of the product? If so, please indicate how much of the included wood raw material used that comes from documented sustainable forestry:		
Attach certificates from all subcontractors together with the application.		
If sustainability certificates are missing, state the harvesting country for wood raw material:		
Is the wood species or origin in the CITES appendix for endangered species?	□ Yes	□ No
4. The production phase		
Has an Environmental Product Declaration (EPD) according to ISO 14025 and EN 15804 (or equivalent for other product groups) been prepared?	☐ Yes	⊠ No
Has another type of environmental product declaration been prepared?	□ Yes	⊠ No
If <i>yes</i> , enclose the EPD (Environmental Product D declaration together with the application.	eclaration) or any other er	nvironmental product
Has an active choice been made, regarding the electricity supplier, to promote electricity production from renewable energy sources?	☐ Yes	⊠ No
If yes, describe the type of energy source, percen source, how long the agreement has been applie which part of the production it is valid for:		
5. Distribution of the completed product		
Describe the management of packaging for the distribution of the product:	Description of the packa	ging:
Specify the packaging material used and which system of producer responsibility for packaging the supplier is affiliated to.	Packaging material: metal No specific return system is	s used.
Enter the proportion of recycled material, if any, included in the packaging.		



Other information:					
6. Construction and usage phase					
Are there any special requirements such as storage conditions etc. for the product during storage?	⊠ Y€	25		□ No	
If <i>yes</i> , describe: Keep in a cool and dry place at +5 °C to +30 °C not keep near heat sources or in direct sunlight cans before transport.					
Are there any special requirements for adjacent building products because of this product?	⊠ Ye	25		□No	
If <i>yes</i> , describe: PU foam lacks adhesion to Teflon, polyethylend	e and s	silicone sur	faces		
Are there any operating/care instructions for the product?	⊠ Yes		□ No		
If yes, attach the documentation with the applica	tion.				
Is the product energy labelled in accordance with the Energy Labelling Directive (2010/30/EU)?	☐ Yes ☐ No			⊠ Not relevant	
If <i>yes</i> , state class (G to A, A+, A++, A+++):	Class	:			
7. Waste management					
Does the product require special measures to protect health and the environment in conjunctive with demolition/dismantling?	on	□ Yes			No
If yes, describe:		ı			
Is the product covered by the WEEE-directive 2012/19/EU (Swedish ordinance (2014:1075) on Producer Responsibility for electrical and electroproducts when it becomes waste?	nic	□ Yes			No
Is it possible to re-use all or parts of the product? (can the product be reused within the product's expected lifetime)?		□ Yes			No
If yes, describe:					



Is material recycling possible for all or parts of the product when it becomes waste?	□ Yes	⊠ No	
If yes, describe:			1
Is energy recycling possible for all or parts of the product when it becomes waste?		⊠ Yes	□ No
Does the supplier have any restrictions and recommendations for reuse, material- or energy recycling or disposal?		□ Yes	⊠ No
If <i>yes</i> , specify which			
When the supplied product becomes waste, is it classified as hazardous waste?		⊠ Yes	□ No
If <i>yes</i> , specify the waste code: The Swedish waste ordinance (2011:927) https://www.notisum.se/rnp/sls/lag/20110927.htm	<u>m</u>	contain pressurize therefore, it must hazardous waste 04*). Cured produ	
8. Indoor environment			
Has the product a critical moisture condition:	□ Ye	S	⊠ No
Information regarding whether critical moisture conditions leading to microbial growth apply for the material/product should be stated but will not impact the assessment.			
If Yes, specify which:			
Is the article (or chemical product) intended for indoor use?	⊠ Ye	S	□ No
If yes, has emission data been produced for volatile organic compounds?		Yes	
If yes, attach the report/certificate together with t	he app	olication.	
If <i>no</i> , is there any motivation for why emission data for volatile organic compounds is not relevant for the product?	Motiv	vation:	



Byggvarubedömningen's Certificate of substance content and concentrations, Version 6.0.

A correct and fully* completed certificate is required for the possibility of reaching the Recommended assessment level for chemical contents. The certificate is required also when contents are reported in another document not drafted in accordance with the eBVD15 requirements (for example, when contents are reported in a BVD3).

*Obligatory data required for the certificate to be considered fully completed.

The certificate	e is for the following products (product name on the application): *
(The name of	the product/item is to be identical with the name stated when applying for assessment. The
	be used for several assessments.)
	cum Extra 602
It is certified	d for the above products that (choose alternative A1, A2, B1 <i>or</i> B2): *
A1 □	It is hereby certified that:
	 Concentrations of the constituent substances have been reported down to a percentage by weight (wt%) of 0,01.
	(This implies a complete declaration of contents in which all substances
	present in concentrations of ≥0,01wt% have been reported.)
	Substances that are subject to specific concentration limits <0,01 wt%:
	These substances are reported if they occur in concentrations up to 10
	times lower than their specific concentration limit.
	(This means that if a substance's specific concentration limit is 0,0015 wt%,
	 concentrations ≥0,00015 wt% are to be reported.) Actively added or contamination of mercury has been reported
	 Actively added or contamination of mercury has been reported regardless of concentration.
	 Cadmium is reported in cases of ≥0,001 wt%.
	edamiam is reported in educes of 20,000 hiteror.
B1 ⊠	It is hereby certified that:
	 Concentrations of the constituent substances have been reported down
	to 0,1 wt%.
	(This implies a complete declaration of contents in which all substances of
	concentrations ≥0,1wt% have been reported.)
	Substances that are subject to specific concentration limits <0,1 wt% have been reported when they again.
	been reported when they occur. (This means that if a substance's specific concentration limit is 0,0015 wt%,
	concentrations ≥0,0015 wt% are to be reported.)
	 Actively added or contamination of mercury has been reported
	regardless of concentration.
	 Cadmium is reported in cases of ≥0,01 wt%.



I have not reported according to alternative A1 or B1, but I have followed the instructions for Declaration of content, Byggvarubedömningen's reporting requirements 2021-1 (Annex 1. Table 1):		
A2 □	Equivalent to <i>Recommended</i> level.	
B2 □	Equivalent to <i>Accepted</i> level.	

It is further ce	ertified for the above specified products (choose alternative C or D): *
C 🗵	It is hereby certified that "Specifically indicated substances" in accordance with Annex 1. Table 2 have not been added during production or been formed through reactions between the substances in the product.
D 🗆	Unfortunately, we have to notify that the specified products contain "Specifically indicated substances" in accordance with Annex 1, Table 2. One/some of these substances have been added during production or have been formed through reactions between the substances in the product, refer to the reported Declaration of content.

☑ I hereby certify that the above data is correct to my best knowledge. *

Person responsible for the declaration: *	Ekta Singh-Quintana
Signature: **	Mahijkain
Contact details (email, phone): *	esq@danalim.se
Place and date: *	Stockholm, 24.10.2022

^{*} Obligatory data required for the certificate to be considered fully completed.

If you want your logotype on the certificate, paste it below:

^{**} Voluntary data that may be a requirement in, for example, certain certification systems.



Annex 1.

Declaration of content, Byggvarubedömningen's reporting requirements, 2021-1.

An assessment is based on the complete contents of an item or a chemical product on delivery stated as wt% of the entire product.

For the Accepted and Recommended levels, classified substances must be reported in the documentation if concentrations exceed limits (wt%) in accordance with Table 1, Classified substances. Substances that are not included under Table 1 must always be reported when concentrations of ≥2% occur. Reporting requirements for the Accepted level correspond to the eBVD15 requirements.

Contents can be specified in concentration intervals, and the assessment is then done based on the concentration that gives the strictest assessment. Examples of accepted intervals are: ≤1%, 1–2,5%, 2,5–10%, 10–25%, 25–50%, 50–75%, and 75–100%. More information about what can be included in the same assessment is in the next section.

For chemical products, concentrations specified in the safety data sheet are governing, which means that the interval specified in a building product declaration must include that specified in the SDS.

Note that for a content to be considered fully reported, at least 98% of the product must be declared. Reports in which <98% is reported will be accepted if it is also evident that other substances/materials contribute <2% each and do not have properties according to Table 1. These can instead be reported with their function (filler <2%, additive <2%, etc.).

If classification is applied that is not covered by harmonised classification, this information must be provided in the declaration of contents for that substance and the assessment will be done on that basis.

For the possibility of achieving the Recommended assessment level for chemical contents, the product may contain no specifically indicated substances/substance groups, regardless of concentration, refer to Table 2.



Table 1. Reporting requirements for constituent substances. Note that the below only applies to reporting of substance contents. The complete assessment criteria are available on the website (https://byggvarubedomningen.se/dokument/). The table for reporting toward Accepted assessment level follows the eBVD15 requirements with an amendment for requirements concerning endocrine disrupting substances, see below.

Every constituent substance is to be reported as wt% of the entire product if it is equal to or more than the below reporting limits. If wt% is specified at component level, also the component's wt% of the entire product must be specified.

Classification/listing	Reporting limit	Reporting limit
Classification in fiscing	Accepted	Recommended
Carcinogenic, Category 1A or 1B (H350)	0,1%	0,01%
Carcinogenic, Category 2 (H351)	1%	0,1%
Mutagenic, Category 1A or 1B (H340)	0,1%	0,01%
Mutagenic, Category 2 (H341)	1%	0.1%
Reproductive toxicity, Category 1A or 1B (H360)	0,3%	0,03%
Reproductive toxicity, Category 2 (H361)	2%	0,3%
Reproductive toxicity, effects on or via lactation (H362)	0,3%	0,03%
Endocrine disruptors ^{1,2,3}	0,1%	0,01%
PBT and/or vPvB substances ^{4,5}	0,1%	0,01%
Ozone depleting substances (EUH 059, H420)	0,1%	0,01%
Sensitisation, respiratory category 1A (H334)	0,1%	0,01%
Sensitisation, respiratory category 1 or 1B (H334 solid/liquid)	1%	0,1%
Sensitisation, respiratory category 1 or 1B (H334 gas)	0,2%	0,02%
Sensitisation, skin category 1A (H317)	0,1%	0,01%
Sensitisation, skin category 1 or 1B (H317)	1%	0,1%
Acute toxicity, Category 1 (H300, H310, H330, H301, H311 and/or H331)	0,1%	0,01%
Acute toxicity, Category 2 (H300, H310, H330, H301, H311 and/or H331)	1%	0,1%
Acute toxicity, Category 3 (H300, H310, H330, H301, H311 and/or H331)	2%	1%
Specific Target Organ Toxicity – Single Exposure (STOT-SE), Category 1 (H370)	1%	0,1%
Specific Target Organ Toxicity – Repeated Exposure (STOT-RE), Category 1 (H372)	1%	0,1%
Hazardous to the aquatic environment, Chronic Category 1 (H410)	2%	0,25%
Potential vPvB and PBT substances ⁶	2%	0,1%
Fluorinated greenhouse gases	0,1%	0,01%
Candidate list, to be reported at component level ⁷	0,1% (component level)	0,01% (component level)
Pure or compounds of lead (Pb)	0,1%	0,01%



Pure or compounds of mercury (Hg)	Contamination ≥ 2.5 mg/kg (ppm) and any active added mercury must always be reported.	
Pure or compounds of cadmium (Cd)	0,01%	0,001%
Substances covered by any of the above specified classifications, but which are also covered by specific concentration limits in accordance with CLP.	According to specific concentration limits if lower than specified above (Applies to, for example, certain preservatives)	10 times lower than specific concentration limit
Other classifications, and unclassified substances and material	2%	2%

References

¹EU's EDS Database, Cat 1 & 2

http://ec.europa.eu/environment/chemicals/endocrine/strategv/being en.htm

https://sinlist.chemsec.org/search/search?query=&healthenvironmentconcerns=1

⁷Substances on the Candidate List, https://echa.europa.eu/candidate-list-table. For composite products, substances on the Candidate List are required by law to be reported at component level. Information about this can be found on ECHA's website https://echa.europa.eu/regulations/reach/candidate-list-substances-in-articles.

(If the above links do not work, it may be because they have been updated, which is beyond Byggvarubedömningen's control. Updates of non-functioning links will be corrected as soon as possible after they have been discovered.)

Table 2. Specifically indicated substances may not have been added to the product during production or formed through reactions between the substances in the product to qualify for Recommended assessment level

Tot Recommended assessment level.
Substance group/Substance
Arsenic and its compounds ¹
Brominated flame retardants
Per- and polyfluoroalkyl substances (PFAS)
Organotin compounds
Biocidal product applied on products (surface treatments) to provide a disinfectant or anti-

Biocidal product applied on products (surface treatments) to provide a disinfectant or antibacterial effect.

²Chemsec's SIN Lista, EDC Substances

³Candidate List, endocrine disrupting substances https://echa.europa.eu/sv/candidate-list-table

⁴ Substances that meet the criteria for PBT/vPvB in accordance with KEMI, PRIO https://www.kemi.se/prio-start/criteria/the-criteria-in-detail/pbtvpvb

⁵ Candidate List, PBT/vPvB substances https://echa.europa.eu/candidate-list-table

⁶ Substances that meet the criteria for potential PBT/vPvB substances in accordance with KEMI, PRIO https://www.kemi.se/prio-start/criteria/the-criteria-in-detail/potential-pbtvpvb

¹ Arsenic, or arsenic compounds, are not permitted to be added to the product. Contamination of used raw materials is not permitted to exceed 10 mg/kg. The concentration limit is set based on regulatory requirements for soil quality to ensure that products assessed as Recommended do not raise background concentrations through their use or disposal (for example; sludge from sewage



treatment works Swedish Ordinance 1998:944, Section 20). The same concentration limits are found in the Swedish Environmental Protection Agency's general guidelines for sensitive land use https://www.naturvardsverket.se/Stod-i-miljoarbetet/Vagledningar/Fororenade-omraden/Riktvarden-for-fororenad-mark/.

What may be included in the same assessment?

Generally, an assessment is done for a single item or chemical product. However, an assessment can also be done for a product series given that the included articles are covered by the same declaration of contents. Contents are then provided in intervals, and the assessment is done based on the concentration that gives the strictest assessment. Unclassified substances and material that contribute <2% and that differ between the products in a series can be subject to the same supporting documentation and assessment. Consequently, intervals specified as $0 - \ge 2\%$ are generally not accepted for a product series (well-founded exemptions can be accepted following control questions from an assessor). For chemical products, all articles included in the assessment are covered by the same safety data sheet.

For two or multi-component products, each component requires its own assessment and separate assessment documentation. According to current legislation, each component is to be reported in two separate safety data sheets. Exemptions may be made if the products are packaged in such a way that they cannot be separated. If so, information for both components can be provided in the same safety data sheet if it can be clearly determined which information applies to which component. Criteria that address issues where the components are hardened are assessed based on the hardened product's characteristics (for example, leaching, waste and emissions). For multi-component products, it should be clearly evident in the product description with which other products the individual components are intended to be used.

Descriptions of material

Constituent substances are to be reported with their CAS number and/or EC number. Exemptions can be made for certain materials in accordance with the following instructions.

<u>Alloys</u> are to be reported with the alloy number. Alternatively, constituent substances over 0,01% of the alloy are to be reported. For unspecified alloys, the following exemptions are made (which may affect the assessment result):

- Stainless steel, the assessment is based on the alloy containing 10% nickel.
- Brass, the assessment is based on the alloy containing 3% lead.
- Aluminium, the assessment is based on the alloy containing 1,5% lead.

<u>Plastics and rubber materials</u> are to be reported together with their name so that it is clear which monomers are included, for example, acrylonitrile butadiene styrene (ABS), polyethylene (PE), etc. Any residual monomers need not be reported.



Examples of plastics/polymers that are accepted without specification of constituent monomers:

- Polycarbonate (pertains to bisphenol A based polycarbonates)
- Polyester (monomers must be specified for halogenated polyesters)
- Polyurethane (monomers must be specified for halogenated polyurethanes)
- Fibreglass reinforced epoxy resin laminates FR4 (pertains to tetrabromobisphenol A based polymers)
- MS polymers (refers to silane-modified polyether)

Examples of plastics, polymers and rubber material that require clarification:

- Polymer dispersion
- Copolymer
- Thermoplastic elastomers (TPE)
- Thermoplastics
- Silanes. The type of polymer must be specified, for example, whether it refers to a silane/silyl-modified polyether or polyurethane.
- PVC. For concentrations ≥2%, plasticizers must always be reported with the CAS number and concentration. Less than 2%, plasticizers subject to the reporting limits specified in Table 1 are to be reported. If no plasticizer is specified, the assessor will check with the supplier regarding the occurrence of plasticizer classified as endocrine disrupting and other classification requirements.
- EPDM and SBR rubber. For concentrations ≥2%, mineral/paraffin oil must always be specified with the CAS number and concentration. Alternatively, the PAH content can be specified.
- For plastics and rubber material that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity under normal or reasonably foreseeable conditions of use, the concentration limit is to be fulfilled in accordance with the PAH Regulation (European Commission's Regulation (EU) No. 1272/2013 to amend Annex XVII of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No. 1907/2006 (REACH) on the restrictions of polycyclic-aromatic hydrocarbons (<a href="https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32013R1272&from="https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32013R1272&from="https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32013R1272&from=).
- Expanded polystyrene (EPS), cellular plastic, is assumed to always contain 2% pentane unless otherwise specified. If pentane content <1% of the constituent EPS is reported, this must be verified with analysis data.

Additives that have not formed polymers must always be reported in accordance with the reporting limits in Table 1 (for example, this applies for pigments, plasticizers, stabilizers, etc.).

Examples of other materials that may require clarification:

• Glass (content of lead must be reported for the Recommended assessment level; relevant for recycled glass)



- Concrete (elements of any polymers are to be reported separately)
- Mineral fillers, pigments, etc.
- The PAH content must be reported when asphalt/bitumen is reported ≥10% for the possibility of reaching the Recommended assessment level.
- Electronic products are assumed to always contain brominated flame retardants and therefore cannot reach the Recommended assessment level.
- Flame retardants and any plasticizers are to be specified for cables.
- For impregnated wood, an enclosed safety data sheet for impregnating agents is required.

References can be given for composite products to other products (subcomponents) that have been assessed in Byggvarubedömningen's system and which have been provided with a BVBID. The referenced assessment must be current and not covered by a non-disclosure agreement (NDA). Non-public information may be used after confirmation from the concerned producer.