

SAFETY DATA SHEET

# Byggeskum Extra 601

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name Byggeskum Extra 601 ▼ Unique formula identifier (UFI) JS40-PNC8-G5G7-8JCQ 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Sealing foam Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address Dana Lim A/S Københavnsvej 220 DK-4600 Køge Denmark Tel: +45 56 64 00 70 Contact person Product Safety Department F-mail info@danalim.dk Revision 01/12/2023 **SDS Version** 2.0 Date of previous version 06/07/2023 (1.0) 1.4. Emergency telephone number Contact the poison hotline: +45 82 12 12 12 (24 hour service) See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP). 2.1. Classification of the substance or mixture Aerosol 1; H222, H229, Extremely flammable aerosol. Pressurised container: May burst if heated.

This product is an aerosol dispenser where the propellant is separated from the product upon spraying. As a result, the concentrations of the propellants are not considered for the classification of the mixture in regard of health and environment.

2.2. Label elements

Hazard pictogram(s)



Signal word Danger Hazard statement(s) Extremely flammable aerosol. Pressurised container: May burst if heated. (H222, H229)



Precautionary statement(s) ▼ General If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102) ▼ Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210) Do not spray on an open flame or other ignition source. (P211) Do not pierce or burn, even after use. (P251) Use only outdoors or in a well-ventilated area. (P271) Wear eye protection/protective gloves/protective clothing. (P280) Response Storage Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F. (P410+P412) ▼ Disposal Dispose of contents/container in accordance with local regulation (P501) Hazardous substances None known.

Additional labelling UFI: JS40-PNC8-G5G7-8JCQ

2.3. Other hazards

## Additional warnings

In the event of leaks, high concentrations of gases can quickly form. They can be toxic, asphyxiating, or explosive. This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
isobutane	CAS No.: 75-28-5 EC No.: 200-857-2 REACH: 01-2119485395-27 Index No.: 601-004-00-0	2,5-<10%	Flam. Gas 1A, H220 Press. Gas (Comp.) H280	[16]
propane	CAS No.: 74-98-6 EC No.: 200-827-9 REACH: 01-2119486944-21 Index No.: 601-003-00-5	2,5-<10%	Flam. Gas 1A, H220 Press. Gas (Comp.) H280	[16]
Dimethyl ether	CAS No.: 115-10-6 EC No.: 204-065-8 REACH: 01-2119472128-37-xxxx Index No.: 603-019-00-8	2,5-<10%	Flam. Gas 1A, H220 Press. Gas (Comp.) H280	[1], [16]
polymer based on phosphorus oxychloride, diethylene glycol, isobutanol	CAS No.: 2202685-90-1 EC No.: 847-824-4 REACH: Index No.:	2,5-<5%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[1] European occupational exposure limit. [16] Propellant



## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

#### Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Rinse with water until pain stops then continue to rinse for 30 minutes.

### 4.2. Most important symptoms and effects, both acute and delayed

## None known.

4.3. ▼ Indication of any immediate medical attention and special treatment needed

## Treat symptomatically.

## Information to medics

Bring this safety data sheet or the label from this product.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. ▼ Special hazards arising from the substance or mixture

Extremely flammable aerosol. Pressurised container. In a fire or if heated, a pressure increase will occur and the container may burst.

In use may form flammable/explosive vapour-air mixture.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Accidental releases always pose a serious risk of fire or explosion.

Storages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation.

Ensure adequate ventilation, especially in confined areas.

## 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.



Keep unauthorized persons away from the spill

## 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

### 7.1. ▼ Precautions for safe handling

Because of the danger of self-ignition, any waste from the product, spray mist and soiled rags etc. are to be kept in a fire-proof place in air-tight containers, alternatively the waste is to be burned.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use.

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

Pressurized gas packs (spray cans, aerosol cans) must be stored behind a wire mesh, which allows gases to escape and holds back packs flying around.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

Dry, cool and well ventilated

## Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. ▼ Control parameters

## propane

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 1800 Long term exposure limit (8 hours) (ppm): 1000 Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 3600 Short term exposure limit (15 minutes) (ppm): 2000

Dimethyl ether

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 1920 Long term exposure limit (8 hours) (ppm): 1000 Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 3840 Short term exposure limit (15 minutes) (ppm): 2000 Annotations: E = Substance has an EC limit.

Butane Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 1200 Long term exposure limit (8 hours) (ppm): 500 Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 2400 Short term exposure limit (15 minutes) (ppm): 1000

Statutory order 202 on exposure limits for substances and mixtures (21/02/2023)

DNEL

Dimethyl ether



Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Inhalation	471 mg/m3
Long term – Systemic effects - Workers	Inhalation	1894 mg/m3

#### PNEC

Dimethyl ether		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,155 mg/l
Freshwater sediment		0,681 mg/kg
Intermittent release		1,549 mg/l
Marine water		0,016 mg/l
Marine water sediment		0,069 mg/kg
Sewage treatment plant		160 mg/l
Soil		0,045 mg/kg

#### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

## General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

## Exposure scenarios

There are no exposure scenarios implemented for this product.

### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

## Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

## Measures to avoid environmental exposure

No specific requirements.

### Individual protection measures, such as personal protective equipment

#### Generally

Use only CE marked protective equipment.

#### **Respiratory Equipment**

Туре	Class	Colour	Standards	
Combination filter A2P2	Class 2	Brown/White	EN14387	

#### Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	Ŕ

#### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.4	> 480	EN374-2, EN374-3, EN388	

## Eye protection



TypeStandardsSafety glasses with sideEN166shields.

SECTION 9: Physical and chemical properties

```
9.1. Information on basic physical and chemical properties
  Physical state
      Aerosol
  Colour
     Pale yellow
  Odour / Odour threshold
      No data available
  рΗ
     Testing not relevant or not possible due to the nature of the product.
  Density (g/cm<sup>3</sup>)
     0.917
  Kinematic viscosity
     Testing not relevant or not possible due to the nature of the product.
  Particle characteristics
     Testing not relevant or not possible due to the nature of the product.
Phase changes
  Melting point/Freezing point (°C)
     Testing not relevant or not possible due to the nature of the product.
  Softening point/range (waxes and pastes) (°C)
     Does not apply to aerosols.
  Boiling point (°C)
     -12
  Vapour pressure
      <300 kPa (50 °C)
  Relative vapour density
     Testing not relevant or not possible due to the nature of the product.
  Decomposition temperature (°C)
     Testing not relevant or not possible due to the nature of the product.
Data on fire and explosion hazards
  Flash point (°C)
      Not applicable
  Flammability (°C)
     460
  Auto-ignition temperature (°C)
     Testing not relevant or not possible due to the nature of the product.
  Lower and upper explosion limit (% v/v)
     Testing not relevant or not possible due to the nature of the product.
Solubility
  Solubility in water
     Testing not relevant or not possible due to the nature of the product.
  n-octanol/water coefficient
     Testing not relevant or not possible due to the nature of the product.
  Solubility in fat (g/L)
     Testing not relevant or not possible due to the nature of the product.
9.2. Other information
  Other physical and chemical parameters
     No data available.
  Oxidizing properties
     Testing not relevant or not possible due to the nature of the product.
```





SECTION 10: Stability and reactivity

### 10.1. Reactivity

## No data available.

## 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions None known.

## 10.4. Conditions to avoid

Avoid static electricity.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

## 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

### SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

## Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met. Skin sensitisation

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Based on available data, the classification criteria are not met. Carcinogenicity

Based on available data, the classification criteria are not met. Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met. Aspiration hazard

## Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

#### Long term effects

None known.

▼ Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

## Other information

None known.

## SECTION 12: Ecological information

## 12.1. ▼Toxicity

No data available.

- 12.2. ▼ Persistence and degradability No data available.
- 12.3. Bioaccumulative potential

No data available.



Packaging containing residues of the produce SECTION 14: Transport information		
Packaging containing residues of the produc		
<ul> <li>13.1. ▼Waste treatment methods</li> <li>Product is covered by the regulations on haz</li> <li>HP 3 - Flammable</li> <li>Commission Regulation (EU) No 1357/2014 c</li> <li>▼EWC code</li> <li>16 05 04*</li> <li>Gases in pressure container</li> <li>▼ Specific labelling</li> <li>Not applicable.</li> <li>Contaminated packing</li> </ul>	of 18 December 2014 on waste. ers (including halons) containing dangerous substances	
SECTION 13: Disposal considerations		
12.6. ▼Endocrine disrupting properties	substances known to fulfil the criteria for PBT and vPvB classificatio substances considered to have endocrine-disrupting properties in r	

	UN / I	D UN proper shipping name	Hazard class(es)	PG*	Env**	information:
ADR	1950	AEROSOLS, flammable	Transport hazard class: 2 Label: 2.1 Classification code: 5F	-	No	Limited quantities: 1 L Tunnel restriction code: 2 (D) See below for additional information.
IMDG	1950	AEROSOLS, flammable	Transport hazard class: 2 Label: 2.1 Classification code: 5F	_	No	Limited quantities: 1 L EmS: F-D S-U See below for additional information.
ΙΑΤΑ	1950	AEROSOLS, flammable	Transport hazard class: 2 Label: 2.1 Classification code: 5F	-	No	See below for additional information.

\* Packing group

\*\* Environmental hazards

Additional information

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

14.6. Special precautions for user

#### Not applicable.

14.7. Maritime transport in bulk according to IMO instruments



No data available.

SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

People under the age of 18 shall not be exposed to this product.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

#### Demands for specific education

No specific requirements.

#### SEVESO - Categories / dangerous substances

P3a - FLAMMABLE AEROSOLS, Qualifying quantity (lower-tier): 150 tonnes (net) / (upper-tier): 500 tonnes (net) Additional information

## Not applicable.

▼ Sources

The Danish Working Environment Authority's executive order no. 1049 of 30 May 2021 on young people's work. Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work.

Pregnant workers and workers who are breastfeeding (AT Guide A.1.8-6, amended 2020).

Executive Order no. 247 of 14 March 2014 on interior design, etc. of aerosols, as amended by EO No. 301 of 27 March 2014, EO no. 478 of 25 May 2016 and EO 1336 of 29 November 2017.

Executive Order no. 372 of 25 April 2016 on control of the risk of major accidents with dangerous substances. Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

### ▼ Full text of H-phrases as mentioned in section 3

H220, Extremely flammable gas.

H280, Contains gas under pressure; may explode if heated.

- H302, Harmful if swallowed.
- H315, Causes skin irritation.
- H319, Causes serious eye irritation.
- H412, Harmful to aquatic life with long lasting effects.

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- CAS = Chemical Abstracts Service
- CE = Conformité Européenne (European conformity)
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report
- DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods



LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard to physical hazards has been based on experimental data.

▼ The safety data sheet is validated by

Product Safety Department

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en