

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

Turbo Tack 291

**Product no.**

-

**REACH registration number**

Not applicable

**Unique formula identifier (UFI)**

-

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Construction adhesive for most building applications

**Uses advised against**

-

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

**Company and address**

Dana Lim A/S  
Københavnsvej 220  
DK-4600 Køge  
Denmark  
phone: +45 56 64 00 70  
fax: +45 56 64 00 90

**Contact person**

Product Safety Department

**E-mail**

info@danalim.dk

**SDS date**

2018-10-02

**SDS Version**

8.1

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP)

### 2.2. Label elements

**Hazard pictogram(s)**

Not applicable

**Signal word**

-

**Hazard statement(s)**

Not applicable

**Precautionary statements**

General -  
Prevention -  
Response -

According to EC-Regulation 2015/830

Storage -  
Disposal -

#### Identity of the substances primarily responsible for the major health hazards

Not applicable

#### 2.3. Other hazards

Not applicable

#### Additional labelling

Safety data sheet available on request. (EUH210)

#### Additional warnings

Not applicable

#### ▼ VOC (volatile organic compound)

Not applicable

### SECTION 3: Composition/information on ingredients

#### 3.1/3.2. Substances/Mixtures

NAME:	Trimethoxyvinylsilane
IDENTIFICATION NOS.:	CAS-no: 2768-02-7 EC-no: 220-449-8 REACH-no: 01-2119513215-52-0003
CONTENT:	2.5 - <5%
CLP CLASSIFICATION:	Flam. Liq. 3, Acute Tox. 4 H226, H332

(\*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

ATEmix(inhale, vapour) > 20  
ATEmix(inhale, dust/mist) > 5  
ATEmix(inhale, gas) > 20000  
ATEmix(dermal) > 2000  
ATEmix(oral) > 2000

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### ▼ General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service: Dial 0344 892 0111 (24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

##### Inhalation

Bring the person into fresh air and stay with him/her.

##### ▼ Skin contact

Wash contaminated skin with water.

##### Eye contact

Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 15 minutes. Seek medical assistance and continue flushing during transport.

##### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

##### Burns

Not applicable

#### 4.2. Most important symptoms and effects, both acute and delayed

Nothing special

#### 4.3. Indication of any immediate medical attention and special treatment needed

Nothing special

#### Information to medics

Bring this safety data sheet.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous catabolic substances are produced. These are: Carbon oxides. Some metal oxides. Fire will result in dense black smoke. Exposure to combustion products may harm your health. Fire fighters should wear appropriate protection equipment. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

### 6.2. Environmental precautions

No specific requirements.

### 6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

See section on 'Exposure controls/personal protection' for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container.

#### Storage temperature

No data available.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### OEL

Methanol (released in small quantities during vulcanisation)

Long-term exposure limit (8-hour TWA reference period): 200 ppm | 266 mg/m<sup>3</sup>

Short-term exposure limit (15-minute reference period): 250 ppm | 333 mg/m<sup>3</sup>

Comments: Sk (Sk = Can be absorbed through skin. )

#### DNEL / PNEC

DNEL (Methanol (released in small quantities during vulcanisation)): 260

Exposure: Inhalation

### 8.2. Exposure controls

Compliance with the accepted occupational exposure limits values should be controlled on a regular basis.

#### General recommendations

Smoking, eating and drinking are not allowed in the work premises

#### Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk

management measures in these shall be complied with.

#### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

#### Appropriate technical measures

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of an exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure

No specific requirements.

#### Individual protection measures, such as personal protective equipment



#### Generally

Use only CE marked protective equipment.

#### Respiratory Equipment

Not relevant if the room is well ventilated. If used in small and very badly ventilated rooms a respirator may be used. In this case an AX-filter is recommended.

#### ▼ Skin protection

No specific requirements.

#### ▼ Hand protection

Nitrile rubber

Material thickness: > 0,1 mm.

Breakthrough time: > 480 minutes (Class 6)

#### Eye protection

No specific requirements.

## SECTION 9: Physical and chemical properties

### ▼ 9.1. Information on basic physical and chemical properties

Form	Pasta
Colour	White
Odour	No data available.
Odour threshold (ppm)	No data available.
pH	No data available.
Viscosity (40°C)	No data available.
Density (g/cm <sup>3</sup> )	1,56

#### Phase changes

Melting point (°C)	No data available.
Boiling point (°C)	No data available.
Vapour pressure	No data available.
Decomposition temperature (°C)	No data available.
Evaporation rate (n-butylacetate = 100)	No data available.

#### Data on fire and explosion hazards

Flash point (°C)	No data available.
Ignition (°C)	No data available.
Auto flammability (°C)	No data available.
Explosion limits (% v/v)	No data available.
Explosive properties	No data available.

#### Solubility

Solubility in water	Insoluble
n-octanol/water coefficient	No data available.

### 9.2. Other information

Solubility in fat (g/L)

No data available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

### 10.3. Possibility of hazardous reactions

Nothing special

### 10.4. Conditions to avoid

Nothing special

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Substance: Trimethoxyvinylsilane

Species: Rabbit

Test: LD50

Route of exposure: Dermal

Result: 3200 mg/kg

Substance: Trimethoxyvinylsilane

Species: Rat

Test: LD50

Route of exposure: Inhalation

Result: 16,8 mg/l/4h

Substance: Trimethoxyvinylsilane

Species: Rat

Test: LD50

Route of exposure: Oral

Result: 7100 mg/kg

#### Skin corrosion/irritation

Data on substance: Trimethoxyvinylsilane

Organism: Rabbit

Duration of Exposure: 96 h

Result: Not irritating

#### Serious eye damage/irritation

Data on substance: Trimethoxyvinylsilane

Organism: Rabbit

Result: Irritating

#### Respiratory or skin sensitisation

No data available. Data on substance: Trimethoxyvinylsilane

Organism: Guinea pig

Result: Not sensitising

#### Germ cell mutagenicity

No data available.

#### Carcinogenicity

No data available.

#### Reproductive toxicity

No data available.

#### STOT-single exposure

No data available.

#### STOT-repeated exposure

No data available.

According to EC-Regulation 2015/830

**Aspiration hazard**

No data available.

**Long term effects**

Nothing special

**SECTION 12: Ecological information**

**12.1. Toxicity**

Substance: Trimethoxyvinylsilane  
 Species: Fish  
 Test: LC50  
 Duration: 96 h  
 Result: 191 mg/l

Substance: Trimethoxyvinylsilane  
 Species: Daphnia  
 Test: EC50  
 Duration: 48 h  
 Result: 169 mg/l

Substance: Trimethoxyvinylsilane  
 Species: Daphnia  
 Test: NOEC  
 Duration: 21 d  
 Result: 25 mg/l

Substance: Trimethoxyvinylsilane  
 Species: Algae  
 Test: NOEC  
 Duration: 72 h  
 Result: 25 mg/l

**12.2. Persistence and degradability**

Substance	Biodegradability	Test	Result
Trimethoxyvinylsilane	No	No data available	No data available

**12.3. Bioaccumulative potential**

Substance	Potential bioaccumulation	LogPow	BCF
No data available.			

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

**12.6. Other adverse effects**

This product contains substances, which due to poor biodegradability, may cause adverse long-term effects to the aquatic environment,

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

Product is not covered by regulations on dangerous waste.

**Waste**

EWC code  
 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

**Specific labelling**

Not applicable

**Contaminated packing**

No specific requirements.

**SECTION 14: Transport information**

**14.1 – 14.4**

Not dangerous goods according to ADR, IATA and IMDG.

**ADR/RID**

According to EC-Regulation 2015/830

- 14.1. UN number -
- 14.2. UN proper shipping name -
- 14.3. Transport hazard class(es) -
- 14.4. Packing group -
- Notes -
- Tunnel restriction code -

#### IMDG

- UN-no. -
- Proper Shipping Name -
- Class -
- PG\* -
- EmS -
- MP\*\* -
- Hazardous constituent -

#### IATA/ICAO

- UN-no. -
- Proper Shipping Name -
- Class -
- PG\* -

#### 14.5. Environmental hazards

-

#### 14.6. Special precautions for user

-

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

(\*) Packing group

(\*\*) Marine pollutant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

#### Demands for specific education

-

#### Additional information

Not applicable

#### Seveso

Seveso III Part 2: Methanol (released in small quantities during vulcanisation), Methanol

#### Sources

Council Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677. The Stationery Office, 2002.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).

EC regulation 1907/2006 (REACH).

The Control of Major Accident Hazards (COMAH) Regulations 2015.

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

H226 - Flammable liquid and vapour.

H332 - Harmful if inhaled.

### The full text of identified uses as mentioned in section 1

-

### Additional label elements

Not applicable

### Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

### The safety data sheet is validated by

Robert Pedersen

### Date of last essential change

#### (First cipher in SDS version)

2018-06-25(8.0)

### Date of last minor change

#### (Last cipher in SDS version)

2018-06-25