

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

Acrylic Sealant 557

**Product no.**

-

**REACH registration number**

Not applicable

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Water based acrylic sealant.

**Uses advised against**

-

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

**Company and address**

Dana Lim A/S  
Københavnsvej 220  
DK-4600 Køge  
Denmark  
phone: +45 56 64 00 70  
fax: +45 56 64 00 90

**Contact person**

Product Safety Department

**E-mail**

info@danalim.dk

**SDS date**

2018-02-16

**SDS Version**

3.0

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

## SECTION 2: Hazards identification

### ▼ 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP)

### 2.2. Label elements

**Hazard pictogram(s)**

Not applicable

**Signal word**

-

### ▼ Hazard statement(s)

Not applicable-

**Safety statement(s)**

General -  
Prevention -  
Response -  
Storage -  
Disposal -

### ▼ Identity of the substances primarily responsible for the major health hazards

Active substance: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 13 ppm

### ▼ 2.3. Other hazards

Not applicable

### ▼ Additional labelling

Contains Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1).  
May produce an allergic reaction. (EUH208).  
Safety data sheet available on request. (EUH210)

### ▼ Additional warnings

Not applicable

### VOC

Not applicable

## SECTION 3: Composition/information on ingredients

### ▼ 3.1/3.2. Substances/Mixtures

NAME:	Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
IDENTIFICATION NOS.:	CAS-no: 55965-84-9 Index-no: 613-167-00-5
CONTENT:	<0.0015%
CLP CLASSIFICATION:	Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1, Eye Dam. 1, Acute Tox. 3, Aquatic Acute 1, Aquatic Chronic 1 H301, H311, H314, H317, H318, H331, H400, H410 (M-acute = 100) (M-chronic = 10)

(\*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

ATEmix(inhale, vapour) > 20  
ATEmix(inhale, dust/mist) > 5  
ATEmix(dermal) > 2000  
ATEmix(oral) > 2000  
N acute (CAT 1) Sum =  $\sum(C_i/M(\text{acute})) \times 25 = 0,00416 - 0,00624$

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### ▼ General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service (dial 111, 24 h service).  
Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### ▼ Inhalation

Bring the person into fresh air and stay with him/her.

#### ▼ Skin contact

Immediately remove contaminated clothing and shoes. Ensure that skin, which has been exposed to the material, is washed thoroughly with soap and water. Skin cleanser can be used. DO NOT use solvents or thinners.

#### ▼ Eye contact

Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 15 minutes. Seek medical assistance and continue flushing during transport.

#### ▼ Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

#### Burns

Not applicable

- ▼ **4.2. Most important symptoms and effects, both acute and delayed**  
This product contains substances that may trigger an allergic reaction to predisposed persons.
- ▼ **4.3. Indication of any immediate medical attention and special treatment needed**  
Nothing special
- Information to medic**  
Bring this safety data sheet.

## SECTION 5: Firefighting measures

- ▼ **5.1. Extinguishing media**  
Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.
- ▼ **5.2. Special hazards arising from the substance or mixture**  
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous catabolic substances are produced. These are: Carbon oxides. Fire will result in dense black smoke. Exposure to combustion products may harm your health. Fire fighters should wear appropriate protection equipment. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
- ▼ **5.3. Advice for firefighters**  
Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

## SECTION 6: Accidental release measures

- ▼ **6.1. Personal precautions, protective equipment and emergency procedures**  
No specific requirements.
- ▼ **6.2. Environmental precautions**  
No specific requirements.
- ▼ **6.3. Methods and material for containment and cleaning up**  
Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.
- ▼ **6.4. Reference to other sections**  
See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

## SECTION 7: Handling and storage

- 7.1. Precautions for safe handling**  
See section on 'Exposure controls/personal protection' for information on personal protection.
- ▼ **7.2. Conditions for safe storage, including any incompatibilities**  
Always store in containers of the same material as the original container.  
**Storage temperature**  
Frost free
- ▼ **7.3. Specific end use(s)**  
This product should only be used for applications quoted in section 1.2

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

- ▼ **OEL**  
di-"isononyl" phthalate  
Long-term exposure limit (8-hour TWA reference period): - ppm | 5 mg/m<sup>3</sup>  
Short-term exposure limit (15-minute reference period): - ppm | - mg/m<sup>3</sup>

- ▼ **DNEL / PNEC**  
No data available

### 8.2. Exposure controls

- ▼ Compliance with the accepted occupational exposure limits values should be controlled on a regular basis.

### General recommendations

- ▼ Smoking, eating and drinking are not allowed in the work premises

### Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

### Appropriate technical measures

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of an exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

No specific requirements.

### Individual protection measures, such as personal protective equipment



#### Generally

Use only CE marked protective equipment.

#### Respiratory Equipment

No specific requirements.

#### Skin protection

No specific requirements.

#### Hand protection

Recommended: Nitrile rubber. Breakthrough time: > 480 minutes (Class 6)

Material thickness: >0,1 mm.

When applying the sealant with a caulking gun and when finishing with a joint nail, work can be carried out without gloves if skin contact is avoided.

#### Eye protection

No specific requirements.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Form	Pasta
Colour	Various colors
Odour	Characteristic
Odour threshold (ppm)	No data available.
pH	No data available.
Viscosity (40°C)	No data available.
Density (g/cm <sup>3</sup> )	1,6

#### Phase changes

Melting point (°C)	No data available.
Boiling point (°C)	No data available.
Vapour pressure	No data available.
Decomposition temperature (°C)	No data available.
Evaporation rate (n-butylacetate = 100)	No data available.

#### Data on fire and explosion hazards

Flash point (°C)	No data available.
Ignition (°C)	No data available.
Auto flammability (°C)	No data available.
Explosion limits (% v/v)	No data available.
Explosive properties	No data available.

<ul style="list-style-type: none"> <li>▼ <b>Solubility</b></li> <li style="padding-left: 20px;">Solubility in water</li> <li style="padding-left: 20px;">n-octanol/water coefficient</li> <li>▼ <b>9.2. Other information</b></li> <li style="padding-left: 20px;">Solubility in fat (g/L)</li> </ul>	<p>Soluble</p> <p>No data available.</p> <p>No data available.</p>
---	--

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### ▼ 10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

### ▼ 10.3. Possibility of hazardous reactions

Nothing special

### ▼ 10.4. Conditions to avoid

Nothing special

### ▼ 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### ▼ Acute toxicity

Substance: di-"isononyl" phthalate  
 Species: Rabbit  
 Test: LD50  
 Route of exposure: Dermal  
 Result: >3200 mg/kg

Substance: di-"isononyl" phthalate  
 Species: Rat  
 Test: LD50  
 Route of exposure: Oral  
 Result: >40000 mg/kg

#### ▼ Skin corrosion/irritation

No data available.

#### Serious eye damage/irritation

No data available.

#### ▼ Respiratory or skin sensitisation

No data available. Data on substance: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Test: OECD Guideline 406

Organism: Guinea pig

Result: Sensitising This product contains substances that may trigger an allergic reaction to predisposed persons.

#### Germ cell mutagenicity

No data available.

#### Carcinogenicity

No data available.

#### Reproductive toxicity

No data available.

#### STOT-single exposure

No data available.

#### STOT-repeated exposure

No data available.

#### Aspiration hazard

No data available.

▼ **Long term effects**

Nothing special

**SECTION 12: Ecological information**

▼ **12.1. Toxicity**

Substance: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)  
 Species: Algae  
 Test: EC50  
 Duration: 72 h  
 Result: 0,027 mg/l

**12.2. Persistence and degradability**

Substance	Biodegradability	Test	Result
Reaction mass of: 5-chloro-2-m...	Yes	Closed Bottle Test	>60%

**12.3. Bioaccumulative potential**

Substance	Potential bioaccumulation	LogPow	BCF
Reaction mass of: 5-chloro-2-m...	No	No data available	3,6

▼ **12.4. Mobility in soil**

di-"isononyl" phthalate: Log Koc= 7,04712, Calculated from LogPow (Low mobility potential.).

▼ **12.5. Results of PBT and vPvB assessment**

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

▼ **12.6. Other adverse effects**

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which due to poor biodegradability, may cause adverse long-term effects to the aquatic environment,

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

Product is not covered by regulations on dangerous waste.

▼ **Waste**

EWC code

08 04 10

waste adhesives and sealants other than those mentioned in 08 04 09

**Specific labelling**

-

▼ **Contaminated packing**

No specific requirements.

**SECTION 14: Transport information**

**14.1 – 14.4**

Not dangerous goods according to ADR, IATA and IMDG.

▼ **ADR/RID**

14.1. UN number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

-

14.4. Packing group

-

Notes

-

Tunnel restriction code

-

▼ **IMDG**

UN-no.

-

Proper Shipping Name

-

Class

-

PG\*

-

According to EC-Regulation 2015/830

EmS -  
 MP\*\* -  
 Hazardous constituent -

▼ IATA/ICAO  
 UN-no. -  
 Proper Shipping Name -  
 Class -  
 PG\* -

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

-

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available

(\*) Packing group

(\*\*) Marine pollutant

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Restrictions for application**

-

**Demands for specific education**

-

**Additional information**

Not applicable

Authorization number:

**Seveso**

-

**Sources**

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677. The Stationery Office, 2002.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).

EC regulation 1907/2006 (REACH).

**15.2. Chemical safety assessment**

No

**SECTION 16: Other information**

▼ **Full text of H-phrases as mentioned in section 3**

H301 - Toxic if swallowed.

H311 - Toxic in contact with skin.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H331 - Toxic if inhaled.

H400 - Very toxic to aquatic life.

H410 - Very toxic to aquatic life with long lasting effects.

**The full text of identified uses as mentioned in section 1**

-

**Additional label elements**

Not applicable

**Other**

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

**The safety data sheet is validated by**

Robert Pedersen

**Date of last essential change  
(First cipher in SDS version)**

2015-08-24(2.0)

**Date of last minor change  
(Last cipher in SDS version)**

2015-08-24