

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

Window Putty 681

**Product no.**

-

**REACH registration number**

Not applicable

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

For puttying and repairing.

**Uses advised against**

-

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

**Company and address**

Dana Lim A/S  
Københavnsvej 220  
DK-4600 Køge  
Denmark  
phone: +45 56 64 00 70  
fax: +45 56 64 00 90

**Contact person**

Product Safety Department

**E-mail**

info@danalim.dk

**SDS date**

2020-03-20

**SDS Version**

5.0

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Aquatic Chronic 3; H412

See full text of H-phrases in section 2.2.

### 2.2. Label elements

**Hazard pictogram(s)**

Not applicable

**Signal word**

-

**Hazard statement(s)**

Harmful to aquatic life with long lasting effects. (H412)

**Precautionary statements**

General	If medical advice is needed, have product container or label at hand. (P101).
Prevention	Avoid release to the environment. (P273).
Response	-
Storage	-

**Disposal** Dispose of contents/container to an approved waste disposal plant. (P501).

**▼ Identity of the substances primarily responsible for the major health hazards**

Active substance: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 12 ppm

**▼ Additional labelling**

Contains 1,2-benzisothiazol-3(2H)-one, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. (EUH208).

**Unique formula identifier (UFI)**

-

**2.3. Other hazards**

Not applicable

**Additional warnings**

Not applicable

**VOC (volatile organic compound)**

Not applicable

**SECTION 3: Composition/information on ingredients**

**▼ 3.1/3.2. Substances/Mixtures**

NAME: 2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol  
 IDENTIFICATION NOS.: CAS-no: 95-38-5 EC-no: 202-414-9 REACH-no: 01-2119777867-13-0000  
 CONTENT: 0.25 - <1%  
 CLP CLASSIFICATION: Acute Tox. 4, STOT RE 2, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1 H302, H314, H318, H373, H400, H410 (M-acute = 10) (M-chronic = 1)

NAME: 1,2-benzisothiazol-3(2H)-one  
 IDENTIFICATION NOS.: CAS-no: 2634-33-5 EC-no: 220-120-9 Index-no: 613-088-00-6  
 CONTENT: <0.01%  
 CLP CLASSIFICATION: Acute Tox. 4, Skin Irrit. 2, Skin Sens. 1, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 2 H302, H315, H317, H318, H400, H411 (M-acute = 1)

NAME: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)  
 IDENTIFICATION NOS.: CAS-no: 55965-84-9 Index-no: 613-167-00-5  
 CONTENT: <0.0015%  
 CLP CLASSIFICATION: Acute Tox. 3, Acute Tox. 2, Skin Corr. 1C, Skin Sens. 1A, Eye Dam. 1, Acute Tox. 2, Aquatic Acute 1, Aquatic Chronic 1 H301, H310, H314, H317, H318, H330, H400, H410 (M-acute = 100) (M-chronic = 100)

NAME: magnesium chloride  
 IDENTIFICATION NOS.: CAS-no: 7786-30-3 EC-no: 232-094-6  
 CONTENT: <0.0015%  
 CLP CLASSIFICATION: NA

(\*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

**Other information**

ATEmix(inhale, vapour) > 20  
 ATEmix(inhale, dust/mist) > 5  
 ATEmix(dermal) > 2000  
 ATEmix(oral) > 2000  
 N chronic (CAT 3) Sum =  $\sum(Ci/(M(\text{chronic})^i \cdot 25) \cdot 0.1 \cdot 10^{\text{CAT}i}) = 1,825872416 - 2,738808624$   
 N acute (CAT 1) Sum =  $\sum(Ci/M(\text{acute})^i \cdot 25) = 0,14879184416 - 0,22318776624$

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service: Dial 0344 892 0111 (24 h service).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

**Inhalation**

Bring the person into fresh air and stay with him/her.

**Skin contact**

Wash contaminated skin with water.

**Eye contact**

Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 15 minutes. Seek medical assistance and continue flushing during transport.

**Ingestion**

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

**Burns**

Not applicable

**▼ 4.2. Most important symptoms and effects, both acute and delayed**

Under normal circumstances no known risks. This product contains substances that may trigger an allergic reaction to predisposed persons.

Symptoms may include reddening of the skin and rash, which typically occur after 12-72 hours.

**4.3. Indication of any immediate medical attention and special treatment needed**

Nothing special

**Information to medics**

Bring this safety data sheet.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

**5.2. Special hazards arising from the substance or mixture**

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous catabolic substances are produced. These are: Carbon oxides. Some metal oxides. Fire will result in dense black smoke. Exposure to combustion products may harm your health. Fire fighters should wear appropriate protection equipment. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

No specific requirements.

**6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities. It is recommended to install waste collection trays to prevent emissions to the waste water system and surrounding environment.

**6.3. Methods and material for containment and cleaning up**

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

**6.4. Reference to other sections**

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. It is recommended to install waste collection trays to prevent emissions to the waste water system and surrounding environment. See section on 'Exposure controls/personal protection' for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### Storage temperature

To be stored cool and dry

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### OEL

Titanium dioxide

Long-term exposure limit (8-hour TWA reference period): - ppm | 10(inh)/4(resp) mg/m<sup>3</sup>

Short-term exposure limit (15-minute reference period): - ppm | - mg/m<sup>3</sup>

#### DNEL / PNEC

No data available

### 8.2. Exposure controls

Compliance with the accepted occupational exposure limits values should be controlled on a regular basis.

#### General recommendations

Observe general occupational hygiene standards.

#### Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

#### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

#### Appropriate technical measures

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of an exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure

No specific requirements.

### Individual protection measures, such as personal protective equipment



#### Generally

Use only CE marked protective equipment.

#### Respiratory Equipment

No specific requirements.

#### Skin protection

No specific requirements.

#### Hand protection

Nitrile rubber

Breakthrough time: > 240 minutes (Class 5)

#### Eye protection

No specific requirements.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Form	Pasta
Colour	White
Odour	No data available.
Odour threshold (ppm)	No data available.
pH	No data available.
Viscosity (40°C)	No data available.
Density (g/cm <sup>3</sup> )	1,56

#### Phase changes

Melting point (°C)	No data available.
Boiling point (°C)	No data available.
Vapour pressure	No data available.
Decomposition temperature (°C)	No data available.
Evaporation rate (n-butylacetate = 100)	No data available.

#### Data on fire and explosion hazards

Flash point (°C)	No data available.
Ignition (°C)	No data available.
Auto flammability (°C)	No data available.
Explosion limits (% v/v)	No data available.
Explosive properties	No data available.

#### Solubility

Solubility in water	Soluble
n-octanol/water coefficient	No data available.

### 9.2. Other information

Solubility in fat (g/L)	No data available.
-------------------------	--------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

### 10.3. Possibility of hazardous reactions

Nothing special

### 10.4. Conditions to avoid

Nothing special

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Substance: Titanium dioxide  
 Species: Rat  
 Test: LD50  
 Route of exposure: Oral  
 Result: >10000

#### Skin corrosion/irritation

No data available.

#### Serious eye damage/irritation

No data available.

#### ▼ Respiratory or skin sensitisation

Data on substance: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-

According to EC-Regulation 2015/830

one (3:1)

Test: OECD Guideline 406

Organism: Guinea pig

Result: Sensitising Under normal circumstances no known risks. This product contains substances that may trigger an allergic reaction to predisposed persons.

**Germ cell mutagenicity**

No data available.

**Carcinogenicity**

No data available.

**Reproductive toxicity**

No data available.

**STOT-single exposure**

No data available.

**STOT-repeated exposure**

No data available.

**Aspiration hazard**

No data available.

**Long term effects**

Nothing special

**SECTION 12: Ecological information**

**12.1. Toxicity**

Substance: Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Species: Algae

Test: EC50

Duration: 72 h

Result: 0,027 mg/l

**12.2. Persistence and degradability**

Substance

Reaction mass of: 5-chloro-2-m...

Titanium dioxide

**Biodegradability**

Yes

No

**Test**

Closed Bottle Test

No data available

**Result**

>60%

No data available

**12.3. Bioaccumulative potential**

Substance

Reaction mass of: 5-chloro-2-m...

**Potential bioaccumulation**

No

**LogPow**

No data available

**BCF**

3,6

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

▼ **12.6. Other adverse effects**

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

Product is covered by the regulations on hazardous waste.

**Waste**

EWC code

08 04 10

waste adhesives and sealants other than those mentioned in 08 04 09

**Specific labelling**

Not applicable

**Contaminated packing**

Contaminated packaging must be disposed of similarly to the product.

**SECTION 14: Transport information**

According to EC-Regulation 2015/830

#### 14.1 – 14.4

Not dangerous goods according to ADR, IATA and IMDG.

##### ADR/RID

- 14.1. UN number -
- 14.2. UN proper shipping name -
- 14.3. Transport hazard class(es) -
- 14.4. Packing group -
- Notes -
- Tunnel restriction code -

##### IMDG

- UN-no. -
- Proper Shipping Name -
- Class -
- PG\* -
- EmS -
- MP\*\* -
- Hazardous constituent -

##### IATA/ICAO

- UN-no. -
- Proper Shipping Name -
- Class -
- PG\* -

#### 14.5. Environmental hazards

-

#### 14.6. Special precautions for user

-

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

(\*) Packing group

(\*\*) Marine pollutant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

-

#### Demands for specific education

-

#### Additional information

Not applicable

Authorization number:

#### Seveso

-

#### Biocidal reg. no.

Not applicable

#### Sources

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677. The Stationery Office, 2002.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).

Regulation (EC) 1907/2006 (REACH).

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

### ▼ Full text of H-phrases as mentioned in section 3

H301 - Toxic if swallowed.  
H302 - Harmful if swallowed.  
H310 - Fatal in contact with skin.  
H314 - Causes severe skin burns and eye damage.  
H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H318 - Causes serious eye damage.  
H330 - Fatal if inhaled.  
H373 - May cause damage to organs through prolonged or repeated exposure.  
H400 - Very toxic to aquatic life.  
H410 - Very toxic to aquatic life with long lasting effects.  
H411 - Toxic to aquatic life with long lasting effects.

### The full text of identified uses as mentioned in section 1

-

### Additional label elements

Not applicable

### Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

### The safety data sheet is validated by

Robert Pedersen

### Date of last essential change (First cipher in SDS version)

2019-01-09(4.0)

### Date of last minor change (Last cipher in SDS version)

2019-01-09